



# EMC TEST REPORT

**Report No.:** SET2016-05452

**Product:** AC Adaptor

**Model No. :** KPL-xy (x = 048, 066; y = F), KPL-xy-VI (x = 040, 048, 050, 060, 065, 066; y = F, G, V, H, I, W, J, K, L, N, Q, R, M, S), 2ACLxxxYzzzzz (xxx = 050, 060, 065; Y =K, M, R, S, U; z = 0-9, A-Z, "-" or blank)

**Brand name :**  **NETGEAR D-Link<sup>®</sup>**

**Applicant:** CHANNEL WELL TECHNOLOGY CO., LTD.

**Issued by:** CCIC Southern Electronic Product Testing (Shenzhen) Co., Ltd.

**Lab Location:** Electronic Testing Building, No. 43 Shahe Road, Xili Jiedao, Nan shan District, 518055 Shenzhen, Guangdong, China

**Tel:** 86 755 26627338      **Fax:** 86 755 26627238



This test report consists of **57** pages in total. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product endorsement by CCIC-SET. The test results in the report only apply to the tested sample. The test report shall be invalid without all the signatures of testing engineers, reviewer and approver. Any objections must be raised to CCIC-SET within 15 days since the date when the report is received. It will not be taken into consideration beyond this limit.



# Test Report

**Product** ..... AC Adaptor

**Model No.** ..... KPL-xy (x = 048, 066; y = F), KPL-xy-VI (x = 040, 048, 050, 060, 065, 066; y = F, G, V, H, I, W, J, K, L, N, Q, R, M, S),  
2ACLxxxYzzzzz (xxx = 050, 060, 065; Y =K, M, R, S, U; z = 0-9, A-Z, “-“ or blank)

**Applicant**..... CHANNEL WELL TECHNOLOGY CO., LTD.

**Applicant Address** ..... No.222, Sec. 2, Nankan Rd., Lujhu Township, Taoyuan Hsien,

**Manufacturer** ..... CHANNEL WELL TECHNOLOGY CO., LTD.

**Manufacturer Address** ... No.222, Sec. 2, Nankan Rd., Lujhu Township, Taoyuan Hsien,

**Test Standards** ..... EN 55022:2010 Information technology equipment — Radio disturbance characteristics — Limits and methods of measurement  
EN 55024:2010 Information technology equipment — Immunity characteristics — Limits and methods of measurement  
EN 61000-3-2:2014 Electromagnetic compatibility (EMC) -- Part 3-2: Limits - Limits for harmonic current emissions (equipment input current <= 16 A per phase)  
EN 61000-3-3:2013 Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection

**Test Result**..... Pass

**Tested by** ..... *Xu Weiwei* Jun. 08. 2016

**Reviewed by** ..... *Lu-Tongzhou* Jun.08. 2016

**Approved by**..... *Wu Lian* Jun. 08. 2016



## Table of Contents

|                                                                 |    |
|-----------------------------------------------------------------|----|
| Test Report .....                                               | 2  |
| 1 General Information .....                                     | 6  |
| 1.1 Description of EUT .....                                    | 6  |
| 1.2 Objective .....                                             | 9  |
| 1.3 Environmental Conditions .....                              | 9  |
| 1.4 Measurement Uncertainty .....                               | 9  |
| 1.5 Test Standards and Results .....                            | 10 |
| 1.6 List of Equipments Used .....                               | 10 |
| 2 Emission Test .....                                           | 12 |
| 2.1 EUT Setup and Operation .....                               | 12 |
| 2.2 Mains Terminal Disturbance Voltage Measurement .....        | 13 |
| <b>2.2.1 Limits of Mains Terminal Disturbance Voltage</b> ..... | 13 |
| <b>2.2.2 Test Procedure</b> .....                               | 13 |
| <b>2.2.3 Test Setup</b> .....                                   | 13 |
| <b>2.2.4 Test Result</b> .....                                  | 14 |
| 2.3 Radiated Disturbance Measurement .....                      | 20 |
| <b>2.3.1 Limits of Radiated Disturbance</b> .....               | 20 |
| <b>2.3.2 Test Procedure</b> .....                               | 20 |
| <b>2.3.3 Test Setup</b> .....                                   | 21 |
| <b>2.3.4 Test Result</b> .....                                  | 21 |
| 2.4 Harmonic Current Measurement .....                          | 27 |
| 2.5 Voltage Fluctuation and Flick Measurement .....             | 28 |
| <b>2.5.1 Limits of Voltage Fluctuation and Flick</b> .....      | 28 |
| <b>2.5.2 Test Procedure</b> .....                               | 28 |
| <b>2.5.3 Test Result</b> .....                                  | 28 |



|       |                                                                     |    |
|-------|---------------------------------------------------------------------|----|
| 3     | Immunity Test .....                                                 | 30 |
| 3.1   | EUT Setup and Operating Conditions.....                             | 30 |
| 3.2   | Performance Criteria .....                                          | 30 |
| 3.3   | Electrostatic Discharge Immunity Test .....                         | 30 |
| 3.3.1 | <b>Test Specification</b> .....                                     | 30 |
| 3.3.2 | <b>Test Procedure</b> .....                                         | 30 |
| 3.3.3 | <b>Test Setup</b> .....                                             | 32 |
| 3.3.4 | <b>Test Result</b> .....                                            | 32 |
| 3.4   | Radiated, Radio Frequency Electromagnetic Field Immunity Test ..... | 34 |
| 3.4.1 | <b>Test Specification</b> .....                                     | 34 |
| 3.4.2 | <b>Test Procedure</b> .....                                         | 34 |
| 3.4.3 | <b>Test Setup</b> .....                                             | 35 |
| 3.4.4 | <b>Test Result</b> .....                                            | 35 |
| 3.5   | Electrical Fast Transient/Burst Immunity Test.....                  | 37 |
| 3.5.1 | <b>Test Specification</b> .....                                     | 37 |
| 3.5.2 | <b>Test Procedure</b> .....                                         | 37 |
| 3.5.3 | <b>Test Setup</b> .....                                             | 38 |
| 3.5.4 | <b>Test Result</b> .....                                            | 38 |
| 3.6   | Surge Immunity Test .....                                           | 40 |
| 3.6.1 | <b>Test Specification</b> .....                                     | 40 |
| 3.6.2 | <b>Test Procedure</b> .....                                         | 40 |
| 3.6.3 | <b>Test Setup</b> .....                                             | 40 |
| 1.6.4 | <b>Test Result</b> .....                                            | 41 |
| 3.7   | Immunity to Conducted Disturbances Induced by RF Fields .....       | 42 |
| 3.7.1 | <b>Test Specification</b> .....                                     | 42 |
| 3.7.2 | <b>Test Procedure</b> .....                                         | 42 |



|                                                              |    |
|--------------------------------------------------------------|----|
| <b>3.7.3 Test Setup</b> .....                                | 43 |
| <b>3.7.4 Test Result</b> .....                               | 43 |
| 3.8 Power Frequency Magnetic Field Immunity Test .....       | 44 |
| <b>3.8.1 Test Specification</b> .....                        | 44 |
| <b>3.8.2 Test Setup</b> .....                                | 44 |
| <b>3.8.3 Test Result</b> .....                               | 45 |
| 3.9 Voltage Dips and Short Interruptions Immunity Test ..... | 46 |
| <b>3.9.1 Test Specification</b> .....                        | 46 |
| <b>3.9.2 Test Procedure</b> .....                            | 46 |
| <b>3.9.3 Test Setup</b> .....                                | 46 |
| <b>3.9.4 Test Result</b> .....                               | 47 |
| Appendix I: Photographs of the EUT .....                     | 49 |
| Appendix II: Photographs of EMC Test Configuration .....     | 52 |



# 1 General Information

## 1.1 Description of EUT

- Product:** AC Adaptor
- Model No.:** KPL-xy (x = 048, 066; y = F), KPL-xy-VI (x = 040, 048, 050, 060, 065, 066; y = F, G, V, H, I, W, J, K, L, N, Q, R, M, S), 2ACLxxxYzzzzz (xxx = 050, 060, 065; Y =K, M, R, S, U; z = 0-9, A-Z, “-“ or blank)
- Rating:** AC input: please refer to model list table for details;  
DC output: please refer to model list table for details

### NOTE:

1. The product being tested in this report is a AC Adaptor. The power supply unit is fully enclosed with a standard off the shelf designing. The power supply is for building-in application for ITE equipment. For a more detailed description of the EUT, please refer to the user manual.

2.

KPL-xy:

x represents the output wattage; x = 048, 066

y represents the output voltage; y = F

KPL-xy-VI:

x represents the output wattage; x = 040, 048, 050, 060, 065, 066

y represents the output voltage; y = F, G, V, H, I, W, J, K, L, N, Q, R, M, S

| x=<br>O/P Wattage<br>(W) | y=<br>O/P Wattage | DC Output<br>Voltage<br>(V) | AC Input<br>Voltage<br>(VAC) | AC Input<br>Current<br>(A) | AC Input<br>Frequency<br>(Hz) |
|--------------------------|-------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|
| 66                       | F                 | 12                          | 100                          | 1.7                        | 50/60                         |
| 40, 50, 60               | G                 | 13                          | 100                          | 1.7                        | 50/60                         |
| 40, 50, 60               | V                 | 14                          | 100                          | 1.7                        | 50/60                         |
| 40, 50, 60               | H                 | 15                          | 100                          | 1.7                        | 50/60                         |
| 40, 50, 60               | I                 | 16                          | 100                          | 1.7                        | 50/60                         |
| 40, 50, 60               | W                 | 17                          | 100                          | 1.7                        | 50/60                         |



|                |   |    |     |     |       |
|----------------|---|----|-----|-----|-------|
| 40, 50, 65     | J | 18 | 100 | 1.7 | 50/60 |
| 40, 50, 60, 65 | K | 19 | 100 | 1.7 | 50/60 |
| 40, 50, 65     | L | 20 | 100 | 1.7 | 50/60 |
| 40, 50, 65     | N | 21 | 100 | 1.7 | 50/60 |
| 40, 50, 65     | Q | 22 | 100 | 1.7 | 50/60 |
| 40, 50, 65     | R | 23 | 100 | 1.7 | 50/60 |
| 40, 50, 60, 65 | M | 24 | 100 | 1.7 | 50/60 |
| 50, 60, 65     | S | 48 | 100 | 1.7 | 50/60 |

| O/P Voltage (y=) | O/P Voltage (V) | DC Output Voltage @ O/P Wattage 40W | DC Output Voltage @ O/P Wattage 48W | DC Output Voltage @ O/P Wattage 50W | DC Output Voltage @ O/P Wattage 60W | DC Output Voltage @ O/P Wattage 65W | DC Output Voltage @ O/P Wattage 66W |
|------------------|-----------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| F                | 12              | 3.33                                | 4.00                                | 4.17                                | 5.00                                | 5.42                                | 5.50                                |
| G                | 13              | 3.08                                | ---                                 | 3.85                                | 4.62                                | ---                                 | ---                                 |
| V                | 14              | 2.86                                | ---                                 | 3.57                                | 4.29                                | ---                                 | ---                                 |
| H                | 15              | 2.67                                | ---                                 | 3.33                                | 4.00                                | ---                                 | ---                                 |
| I                | 16              | 2.50                                | ---                                 | 3.13                                | 3.75                                | ---                                 | ---                                 |
| W                | 17              | 2.35                                | ---                                 | 2.94                                | 3.53                                | ---                                 | ---                                 |
| J                | 18              | 2.22                                | ---                                 | 2.78                                | ---                                 | 3.61                                | ---                                 |
| K                | 19              | 2.11                                | ---                                 | 2.63                                | 3.16                                | 3.42                                | ---                                 |
| L                | 20              | 2.00                                | ---                                 | 2.50                                | ---                                 | 3.25                                | ---                                 |
| N                | 21              | 1.90                                | ---                                 | 2.38                                | ---                                 | 3.10                                | ---                                 |
| Q                | 22              | 1.82                                | ---                                 | 2.27                                | ---                                 | 2.95                                | ---                                 |
| R                | 23              | 1.74                                | ---                                 | 2.17                                | ---                                 | 2.83                                | ---                                 |
| M                | 24              | 1.67                                | ---                                 | 2.08                                | 2.50                                | 2.71                                | ---                                 |
| S                | 48              | ---                                 | ---                                 | 1.04                                | 1.25                                | 1.35                                | ---                                 |

3. According to the rating table above, all the applied EMC tests were performed on the model KPL-066F-VI (1#, Max. current and Max. power) and KPL-065S-VI (2#, Max. voltage). The test results represented other models.



4. 2ACLxxxYzzzzz

xxx represents the output wattage. xxx = 050, 060, 065

Y represents the output voltage. Y =K, M, R, S, U

z represents the different customer. z = 0-9, A-Z, “-“ or blank

| xxx =<br>O/P Wattage<br>(W) | Y =<br>O/P<br>Voltage | DC Output<br>Voltage<br>(V) | AC Input<br>Voltage<br>(VAC) | AC Input<br>Current<br>(A) | AC Input<br>Frequency<br>(Hz) |
|-----------------------------|-----------------------|-----------------------------|------------------------------|----------------------------|-------------------------------|
| 060                         | K                     | 19                          | 100-240                      | 1.7                        | 50/60                         |
| 060                         | M                     | 24                          | 100-240                      | 1.7                        | 50/60                         |
| 060, 065                    | R                     | 48                          | 100-240                      | 1.7                        | 50/60                         |
| 060, 065                    | S                     | 54                          | 100-240                      | 1.7                        | 50/60                         |
| 050, 060, 065               | U                     | 56                          | 100-240                      | 1.7                        | 50/60                         |

| O/P<br>Voltage<br>( Y = ) | O/P<br>Voltage<br>(V) | DC<br>Output<br>Current<br>@ O/P<br>Wattage<br>36W | DC<br>Output<br>Current<br>@ O/P<br>Wattage<br>48W | DC<br>Output<br>Current<br>@ O/P<br>Wattage<br>50W | DC<br>Output<br>Current<br>@ O/P<br>Wattage<br>60W | DC<br>Output<br>Current<br>@ O/P<br>Wattage<br>65W | DC<br>Output<br>Current<br>@ O/P<br>Wattage<br>66W |
|---------------------------|-----------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------|
| K                         | 19                    | ---                                                | ---                                                | ---                                                | 3.16                                               | ---                                                | ---                                                |
| M                         | 24                    | ---                                                | ---                                                | ---                                                | 2.50                                               | ---                                                | ---                                                |
| R                         | 48                    | ---                                                | ---                                                | ---                                                | 1.25                                               | 1.35                                               | ---                                                |
| S                         | 54                    | ---                                                | ---                                                | ---                                                | 1.10                                               | 1.20                                               | ---                                                |
| U                         | 56                    | ---                                                | ---                                                | 0.90                                               | 1.07                                               | 1.16                                               | ---                                                |

5. According to the rating table above, all the applied EMC tests were performed on the model 2ACL060K (3#, Max. current) and 2ACL065U (4#, Max. wattage and Max. voltage), The test results represented other models.

## 1.2 Objective

Perform ElectroMagnetic Interference (EMI) and ElectroMagnetic Susceptibility (EMS) tests for CE Marking.

## 1.3 Environmental Conditions

During the measurement the environmental conditions were within the listed ranges:

- Temperature: 15-35°C
- Humidity: 30-60 %
- Atmospheric pressure: 86-106 kPa

## 1.4 Measurement Uncertainty

The uncertainty is calculated using the methods suggested in the “Guide to the Expression of Uncertainty in Measurement” (GUM) published by ISO.

- Uncertainty of Conducted Emission,  $U_c = \pm 3.6\text{dB}$
- Uncertainty of Radiated Emission,  $U_c = \pm 4.7\text{dB}$



## 1.5 Test Standards and Results

The EUT has been tested according to the following specifications:

| EMISSION                 |                                                          |        |
|--------------------------|----------------------------------------------------------|--------|
| Standard                 | Test Type                                                | Result |
| EN55022:2010             | Mains terminal disturbance voltage                       | PASS   |
|                          | Radiated disturbance                                     | PASS   |
| EN61000-3-2: 2014        | Harmonic current emissions                               | PASS   |
| EN61000-3-3: 2013        | Voltage fluctuation & flicker                            | PASS   |
| IMMUNITY (EN 55024:2010) |                                                          |        |
| Basic Standard           | Test Type                                                | Result |
| IEC 61000-4-2:2008       | Electrostatic discharge immunity                         | PASS   |
| IEC 61000-4-3: 2010      | Radiated, radio frequency electromagnetic field immunity | PASS   |
| IEC 61000-4-4: 2012      | Electrical fast transient/burst immunity                 | PASS   |
| IEC 61000-4-5: 2014      | Surge immunity                                           | PASS   |
| IEC 61000-4-6:2013       | Immunity to conducted disturbances induced by RF fields  | PASS   |
| IEC 61000-4-8: 2009      | Power frequency magnetic field immunity                  | PASS   |
| IEC 61000-4-11: 2004     | Voltage dips and short interruptions immunity            | PASS   |

## 1.6 List of Equipments Used

| Description    | Manufacturer  | Model No.              | Cal. Date     | Cal. Due Date | Serial No. |
|----------------|---------------|------------------------|---------------|---------------|------------|
| Test Receiver  | KEYSIGHT      | N9038A                 | Nov.06, 2015  | Nov.06, 2016  | A141202036 |
| LISN           | ROHDE&SCHWARZ | ENV216                 | Mar.27, 2016  | Mar.27, 2017  | A140701846 |
| Shielding room | NANBO TECH    | RF-1<br>9×4.5×3<br>(m) | Oct. 26, 2015 | Oct. 26, 2018 | A9901141   |
| Test Receiver  | ROHDE&SCHWARZ | ESIB7                  | Sep.10, 2015  | Sep.9,        | A0501375   |



|                                                                  |                    |                                    |               |               |                |
|------------------------------------------------------------------|--------------------|------------------------------------|---------------|---------------|----------------|
|                                                                  |                    |                                    |               | 2016          |                |
| Broadband Ant.                                                   | ETC                | MCTD2786                           | Feb. 25, 2015 | Feb.25, 2018  | A15040223<br>9 |
| Anechoic Chamber                                                 | Albatross          | 9X6X6M                             | Oct. 9, 2014  | Oct. 9, 2017  | A0412372       |
| Test Receiver                                                    | ROHDE&SCHWARZ      | ESIB26                             | Jun. 2. 2015  | Jun. 1. 2016  | A0304218       |
| Horn antenna                                                     | ROHDE&SCHWARZ      | HF906                              | Jun. 28, 2013 | Jun. 28, 2016 | A0304225       |
| Anechoic Chamber                                                 | Albatross          | SAC-5MA<br>C(EMC12.8<br>*6.8*6.4m) | Mar. 23, 2016 | Mar. 23, 2018 | A0304210       |
| Power Frequency<br>Magnetic Field<br>Generator                   | HAEFELY            | MAG 100.1                          | Jun.1, 2015   | Jun.1, 2016   | A0103109       |
| ESD Test System                                                  | EM TEST            | ESD30N                             | Sep.22, 2015  | Sep.22, 2016  | A130301203     |
| Surge electrical<br>fast transient<br>comprehensive<br>simulator | EM TEST            | UCS500N7.<br>7                     | Nov. 06, 2015 | Nov. 06, 2016 | A13020109<br>4 |
| 100A three-phase<br>coupling network                             | EM TEST            | CNI503B9.<br>3                     | Nov. 06, 2015 | Nov. 06, 2016 | A13020109<br>5 |
| Power Frequency<br>Test System                                   | CI                 | 15003Ix-40<br>0-CTS<br>(500LIX)    | Aug. 5, 2015  | Aug. 5, 2016  | A0801521       |
| CDN                                                              | ROHDE&SCHWARZ      | M3                                 | Jun.10, 2015  | Jun.10, 2016  | ---            |
| Signal Generator                                                 | ROHDE&SCHWARZ      | SML02                              | Jun.10, 2015  | Jun.10, 2016  | A0304261       |
| Power Amplifier                                                  | Amplifier Research | AR<br>150W1000                     | Jun.10, 2015  | Jun.10, 2016  | A0304247       |
| Power Amplifier                                                  | Amplifier Research | AR<br>75A250M                      | Jun.10, 2015  | Jun.10, 2016  | A0304255       |

**NOTE:** Equipments above have been calibrated and are in the period of validation.



## **2Emission Test**

### **2.1 EUT Setup and Operation**

The EUT was powered by 230VAC.

The EUT was connected to resistance loads and operating at rated output.

## 2.2 Mains Terminal Disturbance Voltage Measurement

### 2.2.1 Limits of Mains Terminal Disturbance Voltage

| Frequency range (MHz) | Limits (dB $\mu$ V), Class B ITE |         |
|-----------------------|----------------------------------|---------|
|                       | Quasi-peak                       | Average |
| 0.15 - 0.50           | 66~56                            | 56~46   |
| 0.50 - 5              | 56                               | 46      |
| 5-30                  | 60                               | 50      |


#### NOTE:

1. The lower limit shall apply at the transition frequencies.
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15MHz to 0.50MHz.

### 2.2.2 Test Procedure

- a. The EUT was placed 0.4 meters from the conducting wall of shielded room with EUT being connected to the power mains through a line impedance stabilization network (LISN). The LISN provide 50 $\Omega$ /50 $\mu$ H of coupling impedance for the measuring instrument.
- b. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.
- c. The frequency range from 150 kHz to 30 MHz was searched. Emission levels over 10dB under the prescribed limits are not reported.

### 2.2.3 Test Setup





For the actual test configuration, please refer to the related item - Photographs of the Test Configuration.

### 2.2.4 Test Result

1#

| NO. | Freq. (MHz) | Limit Value (dB $\mu$ V) |    | Emission Level (dB $\mu$ V) |        |
|-----|-------------|--------------------------|----|-----------------------------|--------|
|     |             | QP                       | AV | QP                          | AV     |
| 1   | 0.5325      | 56                       | 46 | 44.92                       | NOTE 2 |
| 2   | 0.7530      | 56                       | 46 | 44.76                       | NOTE 2 |
| 3   | 0.9510      | 56                       | 46 | 43.93                       | NOTE 2 |
| 4   | 0.7305      | 56                       | 46 | 45.82                       | NOTE 2 |
| 5   | 1.1670      | 56                       | 46 | 45.22                       | NOTE 2 |
| 6   | 1.6485      | 56                       | 46 | 45.47                       | NOTE 2 |

2#

| NO. | Freq. (MHz) | Limit Value (dB $\mu$ V) |      | Emission Level (dB $\mu$ V) |        |
|-----|-------------|--------------------------|------|-----------------------------|--------|
|     |             | QP                       | AV   | QP                          | AV     |
| 1   | 0.1590      | 65.5                     | 55.5 | 56.11                       | 33.77  |
| 2   | 0.1950      | 63.8                     | 53.8 | 53.03                       | NOTE 2 |
| 3   | 0.2175      | 62.9                     | 52.9 | 51.37                       | NOTE 2 |
| 4   | 0.1680      | 65.1                     | 55.1 | 52.99                       | NOTE 2 |
| 5   | 0.1905      | 64                       | 54   | 50.38                       | NOTE 2 |
| 6   | 0.2085      | 63.3                     | 53.3 | 49.67                       | NOTE 2 |

3#

| NO. | Freq. (MHz) | Limit Value (dB $\mu$ V) |      | Emission Level (dB $\mu$ V) |        |
|-----|-------------|--------------------------|------|-----------------------------|--------|
|     |             | QP                       | AV   | QP                          | AV     |
| 1   | 0.1950      | 63.8                     | 53.8 | 54.22                       | 36.75  |
| 2   | 0.2490      | 61.8                     | 51.8 | 47.52                       | NOTE 2 |
| 3   | 1.5090      | 56                       | 46   | 40.24                       | NOTE 2 |
| 4   | 0.1860      | 64.2                     | 54.2 | 52.05                       | NOTE 2 |
| 5   | 0.2130      | 63.1                     | 53.1 | 51.34                       | NOTE 2 |
| 6   | 1.0410      | 56                       | 46   | 41.18                       | NOTE 2 |




4#

| NO. | Freq. (MHz) | Limit Value (dB $\mu$ V) |      | Emission Level (dB $\mu$ V) |        |
|-----|-------------|--------------------------|------|-----------------------------|--------|
|     |             | QP                       | AV   | QP                          | AV     |
| 1   | 0.2040      | 64.2                     | 54.2 | 51.37                       | NOTE 2 |
| 2   | 0.3210      | 56                       | 46   | 46.61                       | 31.77  |
| 3   | 0.5550      | 56                       | 46   | 44.24                       | NOTE 2 |
| 4   | 0.2040      | 63.4                     | 53.4 | 51.29                       | NOTE 2 |
| 5   | 0.3210      | 59.7                     | 49.7 | 47.47                       | NOTE 2 |
| 6   | 0.5550      | 56                       | 46   | 45.93                       | NOTE 2 |


**NOTE:**

1. QP and AV are abbreviations of the quasi-peak and average individually.
2. If the emission levels measured with QP detector are lower than AV limits, there is unnecessary to measure with AV detector.
3. The emission levels recorded above are the larger ones of both L phase and N phase.


## 1. Mains terminal disturbance voltage, L phase 1#




## 2. Mains terminal disturbance voltage, N phase 1#




### 3. Mains terminal disturbance voltage, L phase 2#




### 4. Mains terminal disturbance voltage, N phase 2#




### 5. Mains terminal disturbance voltage, L phase 3#




### 6. Mains terminal disturbance voltage, N phase 3#



### 7. Mains terminal disturbance voltage, L phase 4#



### 8. Mains terminal disturbance voltage, N phase 4#



## 2.3 Radiated Disturbance Measurement

### 2.3.1 Limits of Radiated Disturbance

| Frequency range (MHz) | Quasi peak limits(dB $\mu$ V/m),<br>for Class B ITE, at 3m measurement distance |
|-----------------------|---------------------------------------------------------------------------------|
| 30 – 230              | 40                                                                              |
| 230 - 1000            | 47                                                                              |


**Notes:**

- (1) The lower limit shall apply at the transition frequency.
- (2) Additional provisions may be required for cases where interference occurs.

### 2.3.2 Test Procedure

- a. The EUT was placed on the top of an insulating table 0.8 meters above the ground at a semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna is a broadband antenna, and its height is varied from 1 to 4 meter above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to the heights from 1 to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detector Function and Specified Bandwidth with Maximum Hold Mode. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emission that did not have 10dB margin would be retested one by one using the quasi-peak method.

### 2.3.3 Test Setup



For the actual test configuration, please refer to the related item-Photographs of the Test Configuration.

### 2.3.4 Test Result

1#

| No. | Frequency (MHz) | Antenna Polarization | Antenna Height (cm) | Table Angle (Degree) | QP Limits (dB $\mu$ V/m) | Emission Level (dB $\mu$ V/m) |
|-----|-----------------|----------------------|---------------------|----------------------|--------------------------|-------------------------------|
| 1   | 30-230          | H/V                  | 100-400             | 0-360                | 40                       | <30                           |
| 2   | 230-1000        | H/V                  | 100-400             | 0-360                | 47                       | <40                           |

2#

| No. | Frequency (MHz) | Antenna Polarization | Antenna Height (cm) | Table Angle (Degree) | QP Limits (dB $\mu$ V/m) | Emission Level (dB $\mu$ V/m) |
|-----|-----------------|----------------------|---------------------|----------------------|--------------------------|-------------------------------|
| 1   | 30-230          | H                    | 100-400             | 0-360                | 40                       | <30                           |
|     | 230-1000        | H                    | 100-400             | 0-360                | 47                       | <40                           |
| 2   | 30.25           | V                    | 140                 | 270                  | 40                       | 32.86                         |




3#

| No. | Frequency (MHz) | Antenna Polarization | Antenna Height (cm) | Table Angle (Degree) | QP Limits (dB $\mu$ V/m) | Emission Level (dB $\mu$ V/m) |
|-----|-----------------|----------------------|---------------------|----------------------|--------------------------|-------------------------------|
| 1   | 30-230          | H/V                  | 100-400             | 0-360                | 40                       | <30                           |
| 2   | 230-1000        | H/V                  | 100-400             | 0-360                | 47                       | <40                           |


4#

| No. | Frequency (MHz) | Antenna Polarization | Antenna Height (cm) | Table Angle (Degree) | QP Limits (dB $\mu$ V/m) | Emission Level (dB $\mu$ V/m) |
|-----|-----------------|----------------------|---------------------|----------------------|--------------------------|-------------------------------|
| 1   | 30-230          | H/V                  | 100-400             | 0-360                | 40                       | <30                           |
| 2   | 230-1000        | H/V                  | 100-400             | 0-360                | 47                       | <40                           |

## 1. Radiation disturbances, antenna polarization: Horizontal 1#




## 2. Radiation disturbances, antenna polarization: Vertical 1#




3. Radiation disturbances, antenna polarization: Horizontal 2#




4. Radiation disturbances, antenna polarization: Vertical 2#




## 5. Radiation disturbances, antenna polarization: Horizontal 3#




## 6. Radiation disturbances, antenna polarization: Vertical 3#



## 7. Radiation disturbances, antenna polarization: Horizontal 4#



## 8. Radiation disturbances, antenna polarization: Vertical 4#





## **2.4 Harmonic Current Measurement**

The test should comply with the requirements of EN 61000-3-2. Because the EUT rated power is less than 75W, there is no need for Harmonics test to be performed according to EN 61000-3-2. For further details, please refer to Clause 7, Note 1 of EN 61000-3-2 which states: "For the following categories of equipment limits are not specified in this edition of the standard."



## 2.5 Voltage Fluctuation and Flick Measurement

### 2.5.1 Limits of Voltage Fluctuation and Flick

| Test Item     | Limit | Note                                              |
|---------------|-------|---------------------------------------------------|
| $P_{st}$      | 1.0   | $P_{st}$ means Short-term flicker indicator       |
| $P_{lt}$      | 0.65  | $P_{lt}$ means long-term flicker indicator        |
| $T_{dt}$      | 0.5   | $T_{dt}$ means maximum time that $d_t$ exceeds 3% |
| $d_{max}(\%)$ | 4%    | $d_{max}$ means maximum relative voltage change.  |
| $d_c(\%)$     | 3.3%  | $d_c$ means relative steady-state voltage change. |

### 2.5.2 Test Procedure

- The EUT was placed on the top of a wooden table 0.8 meters above the ground and operated to produce the most unfavorable sequence of voltage changes under normal conditions
- During the flick measurement, the measure time shall include that part of whole operation changes. The observation period for short-term flicker indicator is 10 minutes and the observation period for long-term flicker indicator is 2 hours.

### 2.5.3 Test Result

#### Test Specification

|                        |      |                      |                                              |
|------------------------|------|----------------------|----------------------------------------------|
| <b>Test Frequency:</b> | 50Hz | <b>Test Voltage:</b> | 230Vac                                       |
| <b>Waveform:</b>       | Sine | <b>Test Time:</b>    | 10 minutes( $P_{st}$ ); 2 hours ( $P_{lt}$ ) |

1#

| Test Parameter | Measurement Value | Limit | Remarks |
|----------------|-------------------|-------|---------|
| $P_{st}$       | 0.064             | 1.0   | Pass    |
| $P_{lt}$       | 0.028             | 0.65  | Pass    |
| $T_{dt(s)}$    | 0.00              | 0.5   | Pass    |
| $d_{max}(\%)$  | 0.00%             | 4%    | Pass    |
| $d_c(\%)$      | 0.00%             | 3.3%  | Pass    |

2#

| Test Parameter | Measurement Value | Limit | Remarks |
|----------------|-------------------|-------|---------|
| $P_{st}$       | 0.064             | 1.0   | Pass    |
| $P_{lt}$       | 0.028             | 0.65  | Pass    |
| $T_{dt(s)}$    | 0.00              | 0.5   | Pass    |
| $d_{max}(\%)$  | 0.00%             | 4%    | Pass    |
| $d_c(\%)$      | 0.00%             | 3.3%  | Pass    |



3#

| Test Parameter       | Measurement Value | Limit | Remarks |
|----------------------|-------------------|-------|---------|
| P <sub>st</sub>      | 0.064             | 1.0   | Pass    |
| P <sub>lt</sub>      | 0.028             | 0.65  | Pass    |
| T <sub>dt(s)</sub>   | 0.00              | 0.5   | Pass    |
| d <sub>max</sub> (%) | 0.00%             | 4%    | Pass    |
| d <sub>c</sub> (%)   | 0.00%             | 3.3%  | Pass    |

4#

| Test Parameter       | Measurement Value | Limit | Remarks |
|----------------------|-------------------|-------|---------|
| P <sub>st</sub>      | 0.064             | 1.0   | Pass    |
| P <sub>lt</sub>      | 0.028             | 0.65  | Pass    |
| T <sub>dt(s)</sub>   | 0.00              | 0.5   | Pass    |
| d <sub>max</sub> (%) | 0.00%             | 4%    | Pass    |
| d <sub>c</sub> (%)   | 0.00%             | 3.3%  | Pass    |

### 3 Immunity Test

#### 3.1 EUT Setup and Operating Conditions

Same as 2.1

#### 3.2 Performance Criteria

|                    |                                                                                                                                                                                                                                   |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Criterion A</b> | The apparatus shall continue to operate as intended. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer, when the apparatus is used as intended.                |
| <b>Criterion B</b> | The apparatus shall continue to operate as intended after the test. No degradation of performance or loss of function is allowed below a performance level specified by the manufacturer, when the apparatus is used as intended. |
| <b>Criterion C</b> | Temporary loss of function is allowed, provided the function is self-recoverable or can be restored by the operation of the controls.                                                                                             |

#### 3.3 Electrostatic Discharge Immunity Test

##### 3.3.1 Test Specification

KPL:

|                            |                                                |
|----------------------------|------------------------------------------------|
| <b>Basic Standard:</b>     | IEC 61000-4-2                                  |
| <b>Discharge Impedance</b> | 330 $\Omega$ / 150 pF                          |
| <b>Discharge Voltage:</b>  | Air Discharge :8 kV<br>Contact Discharge :4 kV |
| <b>Polarity:</b>           | Positive / Negative                            |
| <b>Discharge Mode:</b>     | Single discharge                               |
| <b>Discharge Period:</b>   | 1 second minimum                               |

2ACL:

|                            |                                                                 |
|----------------------------|-----------------------------------------------------------------|
| <b>Basic Standard:</b>     | IEC 61000-4-2                                                   |
| <b>Discharge Impedance</b> | 330 $\Omega$ / 150 pF                                           |
| <b>Discharge Voltage:</b>  | Air Discharge : $\geq 15$ kV<br>Contact Discharge : $\geq 8$ kV |
| <b>Polarity:</b>           | Positive / Negative                                             |
| <b>Discharge Mode:</b>     | Single discharge                                                |
| <b>Discharge Period:</b>   | 1 second minimum                                                |

### 3.3.2 Test Procedure

The discharges shall be applied in two ways:

- a. Contact discharges to the conductive surfaces and coupling planes:

The EUT shall be exposed to at least 200 discharges, 100 each at negative and positive polarity, at a minimum of four test points. One of the test points shall be subjected to at least 50 indirect discharges to the center of the front edge of the horizontal coupling plane. The remaining three contact test points shall each receive at least 50 direct contact discharges. If no direct contact test points are available, at least 200 indirect discharges shall be applied in the indirect mode. Test shall be performed at a maximum repetition rate of one discharge per second.

- b. Air discharges at slots and apertures and insulating surfaces:

On those parts of the EUT where it is not possible to perform contact discharge testing, the equipment should be investigated to identify user accessible points where breakdown may occur. Such points are tested using the air discharge method. This investigation should be restricted to those area normally handled selected test point for each such area.


The basic test procedure was in accordance with IEC 61000-4-2:

- a. Electrostatic discharges were applied only to those points and surfaces of the EUT that are accessible to users during normal operation.
- b. The test was performed with at least ten single discharges on the pre-selected points in the most sensitive polarity.
- c. The time interval between two successive single discharges was at least 1 second.
- d. The ESD generator was held perpendicularly to the surface to which the discharge was applied and the return cable was at least 0.2 meters from the EUT.
- e. Contact discharges were applied to the non-insulating coating, with the pointed tip of the generator penetrating the coating and contacting the conducting substrate.
- f. Air discharges were applied with the round discharge tip of the discharge electrode approaching the EUT as fast as possible (without causing mechanical damage) to touch the EUT. After each discharge, the ESD generator was removed from the EUT and re-triggered for a new single discharge. The test was repeated until all discharges were completed.
- g. At least 50 single discharges (in the most sensitive polarity) were applied to the Horizontal

Coupling Plane at points on each side of the EUT. The ESD generator was positioned vertically at a distance of 0.1 meters from the EUT with the discharge electrode touching the HCP.

- h. At least 50 single discharges ( in the most sensitive polarity) were applied to the center of one vertical edge of the Vertical Coupling Plane in sufficiently different positions that the four faces of the EUT were completely illuminated. The VCP (dimensions 0.5m×0.5m) was placed vertically to and 0.1 meters from the EUT.

### 3.3.3 Test Setup



For the actual test configuration, please refer to Appendix II: Photographs of the Test Configuration.

### 3.3.4 Test Result

1#

| Test Points           | Discharge Level (kV) | Discharge Mode | Observation | Comply with Criterion |
|-----------------------|----------------------|----------------|-------------|-----------------------|
| Aperture of the cover | ±8                   | Air            | Note(1)     | A                     |
| HCP                   | ±4                   | Contact        | Note(1)     | A                     |
| VCP                   | ±4                   | Contact        | Note(1)     | A                     |
| Metallic cover        | ±4                   | Contact        | Note(1)     | A                     |



2#

| Test Points           | Discharge Level (kV) | Discharge Mode | Observation | Comply with Criterion |
|-----------------------|----------------------|----------------|-------------|-----------------------|
| Aperture of the cover | $\pm 8$              | Air            | Note(1)     | A                     |
| HCP                   | $\pm 4$              | Contact        | Note(1)     | A                     |
| VCP                   | $\pm 4$              | Contact        | Note(1)     | A                     |
| Metallic cover        | $\pm 4$              | Contact        | Note(1)     | A                     |

3#

| Test Points           | Discharge Level (kV) | Discharge Mode | Observation | Comply with Criterion |
|-----------------------|----------------------|----------------|-------------|-----------------------|
| Aperture of the cover | $\pm 15$             | Air            | Note(1)     | A                     |
| HCP                   | $\pm 8$              | Contact        | Note(1)     | A                     |
| VCP                   | $\pm 8$              | Contact        | Note(1)     | A                     |
| Metallic cover        | $\pm 8$              | Contact        | Note(1)     | A                     |

4#

| Test Points           | Discharge Level (kV) | Discharge Mode | Observation | Comply with Criterion |
|-----------------------|----------------------|----------------|-------------|-----------------------|
| Aperture of the cover | $\pm 15$             | Air            | Note(1)     | A                     |
| HCP                   | $\pm 8$              | Contact        | Note(1)     | A                     |
| VCP                   | $\pm 8$              | Contact        | Note(1)     | A                     |
| Metallic cover        | $\pm 8$              | Contact        | Note(1)     | A                     |

**NOTE:**

(1). The EUT continued to operate as intended. No degradation of performance was observed.



### 3.4 Radiated, Radio Frequency Electromagnetic Field Immunity Test

#### 3.4.1 Test Specification


|                            |                                    |
|----------------------------|------------------------------------|
| <b>Basic Standard:</b>     | IEC 61000-4-3                      |
| <b>Frequency Range:</b>    | 80 MHz – 1000MHz                   |
| <b>Field Strength:</b>     | 3V/m                               |
| <b>Modulation:</b>         | 1kHz sine wave, 80%, AM modulation |
| <b>Frequency Step:</b>     | 1% of fundamental                  |
| <b>Polarity of Antenna</b> | Horizontal and Vertical            |
| <b>Test Distance:</b>      | 3m                                 |
| <b>Antenna Height:</b>     | 1.5m                               |
| <b>Dwell Time:</b>         | 3 seconds                          |

#### 3.4.2 Test Procedure

The test procedure was in accordance with IEC 61000-4-3.

- a. The testing was performed in a fully anechoic chamber. The transmit antenna was located at a distance of 3 meters from the EUT.
- b. The frequency range is swept from 80 MHz to 1000MHz with the signal 80% amplitude modulated with a 1 kHz sine wave. The rate of sweep did not exceed  $1.5 \times 10^{-3}$  decade/s. Where the frequency range is swept incrementally, the step size was 1% of fundamental.
- c. The dwell time at each frequency shall be not less than the time necessary for the EUT to be able to respond.
- d. The field strength level was 3V/m.
- e. The test was performed with the EUT exposed to both vertically and horizontally polarized fields on each of the four sides.

### 3.4.3 Test Setup



For the actual test configuration, please refer to Appendix II: Photographs of the Test Configuration.

### 3.4.4 Test Result

1#

| Frequency   | Polarity | Azimuth | Field Strength (V/m) | Observation | Comply with Criterion |
|-------------|----------|---------|----------------------|-------------|-----------------------|
| 80-1000 MHz | V&H      | 0       | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 90      | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 180     | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 270     | 3                    | Note(1)     | A                     |

2#

| Frequency   | Polarity | Azimuth | Field Strength (V/m) | Observation | Comply with Criterion |
|-------------|----------|---------|----------------------|-------------|-----------------------|
| 80-1000 MHz | V&H      | 0       | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 90      | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 180     | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 270     | 3                    | Note(1)     | A                     |



3#

| Frequency   | Polarity | Azimuth | Field Strength (V/m) | Observation | Comply with Criterion |
|-------------|----------|---------|----------------------|-------------|-----------------------|
| 80-1000 MHz | V&H      | 0       | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 90      | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 180     | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 270     | 3                    | Note(1)     | A                     |

4#

| Frequency   | Polarity | Azimuth | Field Strength (V/m) | Observation | Comply with Criterion |
|-------------|----------|---------|----------------------|-------------|-----------------------|
| 80-1000 MHz | V&H      | 0       | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 90      | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 180     | 3                    | Note(1)     | A                     |
| 80-1000 MHz | V&H      | 270     | 3                    | Note(1)     | A                     |

**NOTE:**

(1). The EUT continued to operate as intended. No degradation of performance was observed.

### 3.5 Electrical Fast Transient/Burst Immunity Test

#### 3.5.1 Test Specification

KPL:

|                            |                        |
|----------------------------|------------------------|
| <b>Basic Standard:</b>     | IEC 61000-4-4          |
| <b>Test Voltage:</b>       | a.c. power port : 1 kV |
| <b>Polarity:</b>           | Positive/Negative      |
| <b>Impulse Frequency:</b>  | 5kHz                   |
| <b>Impulse wave shape:</b> | 5/50ns                 |
| <b>Burst Duration:</b>     | 15ms                   |
| <b>Burst Period:</b>       | 300ms                  |
| <b>Test Duration:</b>      | Not less than 1 min.   |


2ACL:

|                            |                                                                                                       |
|----------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Basic Standard:</b>     | IEC 61000-4-4                                                                                         |
| <b>Test Voltage:</b>       | a.c. power port : <b>differential mode <math>\geq 2</math> kV, common mode <math>\geq 4</math> kV</b> |
| <b>Polarity:</b>           | Positive/Negative                                                                                     |
| <b>Impulse Frequency:</b>  | 5kHz                                                                                                  |
| <b>Impulse wave shape:</b> | 5/50ns                                                                                                |
| <b>Burst Duration:</b>     | 15ms                                                                                                  |
| <b>Burst Period:</b>       | 300ms                                                                                                 |
| <b>Test Duration:</b>      | Not less than 1 min.                                                                                  |

#### 3.5.2 Test Procedure

- a. The EUT was tested with 1000 volt discharges to the AC power input leads.
- b. Both positive and negative polarity discharges were applied.
- c. The length of the “hot wire” from the coaxial output of the EFT generator to the terminals on the EUT should not exceed 1 meter.
- d. The duration time of each test sequential was 1 minute.
- e. The transient/burst waveform was in accordance with IEC 61000-4-4, 5/50ns.

### 3.5.3 Test Setup



For the actual test configuration, please refer to Appendix II: Photographs of the Test Configuration.

### 3.5.4 Test Result

1#

| Test Point       | Polarity | Test Level (kV) | Observation | Comply with Criterion |
|------------------|----------|-----------------|-------------|-----------------------|
| a.c. power, L    | +/-      | 1               | Note (1)    | A                     |
| a.c. power, N    | +/-      | 1               | Note (1)    | A                     |
| a.c. power, PE   | +/-      | 1               | Note (1)    | A                     |
| a.c. power, L-N  | +/-      | 1               | Note (1)    | A                     |
| a.c. power, L-PE | +/-      | 1               | Note (1)    | A                     |
| a.c. power, N-PE | +/-      | 1               | Note (1)    | A                     |

2#

| Test Point       | Polarity | Test Level (kV) | Observation | Comply with Criterion |
|------------------|----------|-----------------|-------------|-----------------------|
| a.c. power, L    | +/-      | 1               | Note (1)    | A                     |
| a.c. power, N    | +/-      | 1               | Note (1)    | A                     |
| a.c. power, PE   | +/-      | 1               | Note (1)    | A                     |
| a.c. power, L-N  | +/-      | 1               | Note (1)    | A                     |
| a.c. power, L-PE | +/-      | 1               | Note (1)    | A                     |
| a.c. power, N-PE | +/-      | 1               | Note (1)    | A                     |



3#

| Test Point       | Polarity | Test Level (kV) | Observation | Comply with Criterion |
|------------------|----------|-----------------|-------------|-----------------------|
| a.c. power, L    | +/-      | 2               | Note (1)    | A                     |
| a.c. power, N    | +/-      | 2               | Note (1)    | A                     |
| a.c. power, PE   | +/-      | 2               | Note (1)    | A                     |
| a.c. power, L-N  | +/-      | 2               | Note (1)    | A                     |
| a.c. power, L-PE | +/-      | 4               | Note (1)    | A                     |
| a.c. power, N-PE | +/-      | 4               | Note (1)    | A                     |

4#

| Test Point       | Polarity | Test Level (kV) | Observation | Comply with Criterion |
|------------------|----------|-----------------|-------------|-----------------------|
| a.c. power, L    | +/-      | 2               | Note (1)    | A                     |
| a.c. power, N    | +/-      | 2               | Note (1)    | A                     |
| a.c. power, PE   | +/-      | 2               | Note (1)    | A                     |
| a.c. power, L-N  | +/-      | 2               | Note (1)    | A                     |
| a.c. power, L-PE | +/-      | 4               | Note (1)    | A                     |
| a.c. power, N-PE | +/-      | 4               | Note (1)    | A                     |

**NOTE:**

(1). The EUT continued to operate as intended. No degradation of performance was observed.

### 3.6 Surge Immunity Test


#### 3.6.1 Test Specification

|                         |                                                      |
|-------------------------|------------------------------------------------------|
| <b>Basic Standard:</b>  | IEC 61000-4-5                                        |
| <b>Waveform:</b>        | Voltage 1.2/50 $\mu$ s; Current 8/20 $\mu$ s         |
| <b>Test Voltage:</b>    | a.c. power port, line to line 2 kV line to earth 4kV |
| <b>Polarity:</b>        | Positive/Negative                                    |
| <b>Phase Angle:</b>     | 0° , 90° , 180° , 270°                               |
| <b>Repetition Rate:</b> | 60sec                                                |
| <b>Times:</b>           | 5 times/each condition.                              |

#### 3.6.2 Test Procedure

- a. The EUT and the auxiliary equipment were placed on a table of 0.8m heights above a metal ground reference plane. The size of ground plane is greater than 1m $\times$ 1m and project beyond the EUT by at least 0.1m on all sides. The ground plane is connected to the protective earth. The length of power cord between the coupling device and the EUT was less than 2 meters (provided by the manufacturer).
- b. The EUT was connected to the power mains through a coupling device that directly couples the surge interference signal. The surge noise was applied synchronized to the voltage phase at the zero crossing and the peak value of the AC voltage wave (positive and negative).
- c. The surges were applied line to line and line(s) to earth. When testing line to earth the test voltage was applied successively between each of the lines and earth. Steps up to the test level specified increased the test voltage. All lower levels including the selected test level were tested. The polarity of each surge level included positive and negative test pulses.

#### 3.6.3 Test Setup



For the actual test configuration, please refer to Appendix II: Photographs of the Test



Configuration.

### 1.6.4 Test Result

1#

| Coupling Line    | Polarity | Voltage (kV) | Observation | Comply with Criterion |
|------------------|----------|--------------|-------------|-----------------------|
| a.c. power, L-N  | +/-      | 2            | Note (1)    | A                     |
| a.c. power, L-PE | +/-      | 4            | Note (1)    | A                     |
| a.c. power, N-PE | +/-      | 4            | Note (1)    | A                     |

2#

| Coupling Line    | Polarity | Voltage (kV) | Observation | Comply with Criterion |
|------------------|----------|--------------|-------------|-----------------------|
| a.c. power, L-N  | +/-      | 2            | Note (1)    | A                     |
| a.c. power, L-PE | +/-      | 4            | Note (1)    | A                     |
| a.c. power, N-PE | +/-      | 4            | Note (1)    | A                     |

3#

| Coupling Line    | Polarity | Voltage (kV) | Observation | Comply with Criterion |
|------------------|----------|--------------|-------------|-----------------------|
| a.c. power, L-N  | +/-      | 2            | Note (1)    | A                     |
| a.c. power, L-PE | +/-      | 4            | Note (1)    | A                     |
| a.c. power, N-PE | +/-      | 4            | Note (1)    | A                     |

4#

| Coupling Line    | Polarity | Voltage (kV) | Observation | Comply with Criterion |
|------------------|----------|--------------|-------------|-----------------------|
| a.c. power, L-N  | +/-      | 2            | Note (1)    | A                     |
| a.c. power, L-PE | +/-      | 4            | Note (1)    | A                     |
| a.c. power, N-PE | +/-      | 4            | Note (1)    | A                     |

**NOTE:**

(1). The EUT continued to operate as intended. No degradation of performance was observed.

## 3.7 Immunity to Conducted Disturbances Induced by RF Fields


### 3.7.1 Test Specification

|                         |                                     |
|-------------------------|-------------------------------------|
| <b>Basic Standard:</b>  | IEC 61000-4-6                       |
| <b>Frequency Range:</b> | 0.15 MHz – 80 MHz                   |
| <b>Field Strength:</b>  | 3V                                  |
| <b>Modulation:</b>      | 1 kHz Sine Wave, 80%, AM Modulation |
| <b>Frequency Step:</b>  | 1% of fundamental                   |
| <b>Coupled Cable:</b>   | a.c. power line                     |
| <b>Coupling Device:</b> | CDN-M3                              |

### 3.7.2 Test Procedure

- a. The EUT shall be tested within its intended operating and climatic conditions.
- b. The test shall be performed with the test generator connected to each of the coupling and decoupling devices in turn, while the other non-excited RF input ports of the coupling devices are terminated by a 50-ohm load resistor.
- c. The frequency range is swept from 150 kHz to 80 MHz, using the signal level established during the setting process and with a disturbance signal of 80% amplitude. The signal is modulated with a 1 kHz sine wave, pausing to adjust the RF signal level or the switch coupling devices as necessary. The sweep rate shall not exceed  $1.5 \times 10^{-3}$  decades/s. The step size shall not exceed 1% of the start and thereafter 1% of the preceding frequency value where the frequency is swept incrementally.
- d. The dwell time at each frequency shall not be less than the time necessary for the EUT to be exercised, and able to respond. Sensitive frequencies such as clock frequencies and harmonics or frequencies of dominant interest, shall be analyzed separately.
- e. Attempts should be made to fully exercise the EUT during test, and to fully interrogate all exercise modes selected for susceptibility.

### 3.7.3 Test Setup



For the actual test configuration, please refer to Appendix II: Photographs of the Test Configuration.

### 3.7.4 Test Result

1#

| Test Point      | Frequency     | Field Strength (Vrms) | Observation | Comply with criterion |
|-----------------|---------------|-----------------------|-------------|-----------------------|
| a.c. power line | 0.15 – 80 MHz | 3                     | Note(1)     | A                     |

2#

| Test Point      | Frequency     | Field Strength (Vrms) | Observation | Comply with criterion |
|-----------------|---------------|-----------------------|-------------|-----------------------|
| a.c. power line | 0.15 – 80 MHz | 3                     | Note(1)     | A                     |

3#

| Test Point      | Frequency     | Field Strength (Vrms) | Observation | Comply with criterion |
|-----------------|---------------|-----------------------|-------------|-----------------------|
| a.c. power line | 0.15 – 80 MHz | 3                     | Note(1)     | A                     |

4#

| Test Point      | Frequency     | Field Strength (Vrms) | Observation | Comply with criterion |
|-----------------|---------------|-----------------------|-------------|-----------------------|
| a.c. power line | 0.15 – 80 MHz | 3                     | Note(1)     | A                     |

#### NOTE:


(1). The EUT continued to operate as intended. No degradation of performance was observed.

### 3.8 Power Frequency Magnetic Field Immunity Test

#### 3.8.1 Test Specification

|                               |                           |
|-------------------------------|---------------------------|
| <b>Basic Standard:</b>        | IEC 61000-4-8             |
| <b>Frequency Range:</b>       | 50Hz                      |
| <b>Field Strength:</b>        | 1A/m                      |
| <b>Observation Time:</b>      | 5 minutes                 |
| <b>Inductance Coil:</b>       | Rectangular type, 1m × 1m |
| <b>Performance Criterion:</b> | Criterion A               |

#### 3.8.2 Test Setup



The test procedure was in accordance with IEC 61000-4-8.



### 3.8.3 Test Result

1#

| Direction | Field Strength(A/m) | Observation | Comply with Criterion |
|-----------|---------------------|-------------|-----------------------|
| X         | 1                   | Note(1)     | A                     |
| Y         | 1                   | Note(1)     | A                     |
| Z         | 1                   | Note(1)     | A                     |

2#

| Direction | Field Strength(A/m) | Observation | Comply with Criterion |
|-----------|---------------------|-------------|-----------------------|
| X         | 1                   | Note(1)     | A                     |
| Y         | 1                   | Note(1)     | A                     |
| Z         | 1                   | Note(1)     | A                     |

3#

| Direction | Field Strength(A/m) | Observation | Comply with Criterion |
|-----------|---------------------|-------------|-----------------------|
| X         | 1                   | Note(1)     | A                     |
| Y         | 1                   | Note(1)     | A                     |
| Z         | 1                   | Note(1)     | A                     |

4#

| Direction | Field Strength(A/m) | Observation | Comply with Criterion |
|-----------|---------------------|-------------|-----------------------|
| X         | 1                   | Note(1)     | A                     |
| Y         | 1                   | Note(1)     | A                     |
| Z         | 1                   | Note(1)     | A                     |

**NOTE:**

(1). The EUT continued to operate as intended. No degradation of performance was observed.

### 3.9 Voltage Dips and Short Interruptions Immunity Test


#### 3.9.1 Test Specification

|                               |                                                       |
|-------------------------------|-------------------------------------------------------|
| <b>Basic Standard:</b>        | IEC 61000-4-11                                        |
| <b>Voltage Dips:</b>          | 100% reduction, 1 period<br>30% reduction, 25 periods |
| <b>Voltage Interruptions:</b> | >95% reduction, 250 periods                           |
| <b>Voltage Phase Angle:</b>   | 0°                                                    |

#### 3.9.2 Test Procedure

- a. The power cord was used as supplied by the manufacturer. The EUT was connected to the line output of the Voltage Dips and Interruption Generator.
- b. Voltage reductions occur at 0 degree crossover point of the voltage waveform. The performance of the EUT was checked after the voltage dip or interruption.

#### 3.9.3 Test Setup



For the actual test configuration, please refer to Appendix II: Photographs of the Test Configuration.



### 3.9.4 Test Result

1#

Test voltage: 240VAC

| Test Mode             | Voltage Reduction | Duration (ms) | Times | Interval (Sec) | Observation | Comply with Criterion |
|-----------------------|-------------------|---------------|-------|----------------|-------------|-----------------------|
| Voltage dips          | 100%              | 20            | 3     | 100            | Note (1)    | A                     |
|                       | 30%               | 500           | 3     | 100            | Note (1)    | A                     |
| Voltage interruptions | 100%              | 5000          | 3     | 100            | Note (2)    | C                     |

Test voltage: 100VAC

| Test Mode             | Voltage Reduction | Duration (ms) | Times | Interval (Sec) | Observation | Comply with Criterion |
|-----------------------|-------------------|---------------|-------|----------------|-------------|-----------------------|
| Voltage dips          | 100%              | 20            | 3     | 100            | Note (1)    | A                     |
|                       | 30%               | 500           | 3     | 100            | Note (1)    | A                     |
| Voltage interruptions | 100%              | 5000          | 3     | 100            | Note (2)    | C                     |

2#

Test voltage: 240VAC

| Test Mode             | Voltage Reduction | Duration (ms) | Times | Interval (Sec) | Observation | Comply with Criterion |
|-----------------------|-------------------|---------------|-------|----------------|-------------|-----------------------|
| Voltage dips          | 100%              | 20            | 3     | 100            | Note (1)    | A                     |
|                       | 30%               | 500           | 3     | 100            | Note (1)    | A                     |
| Voltage interruptions | 100%              | 5000          | 3     | 100            | Note (2)    | C                     |

Test voltage: 100VAC

| Test Mode             | Voltage Reduction | Duration (ms) | Times | Interval (Sec) | Observation | Comply with Criterion |
|-----------------------|-------------------|---------------|-------|----------------|-------------|-----------------------|
| Voltage dips          | 100%              | 20            | 3     | 100            | Note (1)    | A                     |
|                       | 30%               | 500           | 3     | 100            | Note (1)    | A                     |
| Voltage interruptions | 100%              | 5000          | 3     | 100            | Note (2)    | C                     |



3#

Test voltage: 240VAC

| Test Mode             | Voltage Reduction | Duration (ms) | Times | Interval (Sec) | Observation | Comply with Criterion |
|-----------------------|-------------------|---------------|-------|----------------|-------------|-----------------------|
| Voltage dips          | 100%              | 20            | 3     | 100            | Note (1)    | A                     |
|                       | 30%               | 500           | 3     | 100            | Note (1)    | A                     |
| Voltage interruptions | 100%              | 5000          | 3     | 100            | Note (2)    | C                     |

Test voltage: 100VAC

| Test Mode             | Voltage Reduction | Duration (ms) | Times | Interval (Sec) | Observation | Comply with Criterion |
|-----------------------|-------------------|---------------|-------|----------------|-------------|-----------------------|
| Voltage dips          | 100%              | 20            | 3     | 100            | Note (1)    | A                     |
|                       | 30%               | 500           | 3     | 100            | Note (1)    | A                     |
| Voltage interruptions | 100%              | 5000          | 3     | 100            | Note (2)    | C                     |

4#

Test voltage: 240VAC

| Test Mode             | Voltage Reduction | Duration (ms) | Times | Interval (Sec) | Observation | Comply with Criterion |
|-----------------------|-------------------|---------------|-------|----------------|-------------|-----------------------|
| Voltage dips          | 100%              | 20            | 3     | 100            | Note (1)    | A                     |
|                       | 30%               | 500           | 3     | 100            | Note (1)    | A                     |
| Voltage interruptions | 100%              | 5000          | 3     | 100            | Note (2)    | C                     |


Test voltage: 100VAC


| Test Mode             | Voltage Reduction | Duration (ms) | Times | Interval (Sec) | Observation | Comply with Criterion |
|-----------------------|-------------------|---------------|-------|----------------|-------------|-----------------------|
| Voltage dips          | 100%              | 20            | 3     | 100            | Note (1)    | A                     |
|                       | 30%               | 500           | 3     | 100            | Note (1)    | A                     |
| Voltage interruptions | 100%              | 5000          | 3     | 100            | Note (2)    | C                     |


Note:

- (1). The EUT continued to operate as intended. No degradation of performance was observed.
- (2). Degradation of performance was observed during the voltage interruption test. After the test, the EUT output restored automatically

## Appendix I: Photographs of the EUT







## Appendix II: Photographs of EMC Test Configuration

### 1. Mains Terminal Disturbance Voltage Measurement




### 2. Radiated Field Strength Measurement




### 3. Harmonics Current Measurement and Voltage Fluctuation and Flick Measurement



#### 4. Electrostatic Discharge Immunity Test



#### 5. Radiated, Radio Frequency Electromagnetic Field Immunity Test



### 6. Electrical Fast Transient/Burst Immunity Test



### 7. Surge Immunity Test



### 8. Immunity to conducted disturbances induced by RF fields



### 9. Voltage Dips and Short Interruptions Immunity Test



## 10. Power Frequency Magnetic Field Immunity Test



---

End of Report